

MANIFOLD CABINET



Surface type cabinet for installing heating circuit distributors. Removable doors allow for easy and convenient installation of distributors. It is possible to mounted cabinet while laying the heating system or after all "dirty" works (screeds, painting, etc.).

Standard execution, monted in recess:

- body made of hot-dip galvanized sheet, front made of steel sheet lacquered with [Facade type polyester powder paint](#) for outside usage, UV resistant. The standard color is white (RAL 9003).
- full, removable door, without hinges
- height and depth adjustment
- version without bottom, on the back of the cabinet there are adjustable strips for mounting accessories
- "coin operated" lock

Standard execution, mounted on the wall:

- steel sheet lacquered with [Facade type polyester powder paint](#) for outside usage, UV resistant. The standard color is white (RAL 9003).
- full door, removable, without hinges
- performance without back and bottom
- height adjustment
- "coin operated" lock



| Monted in recess | | | | |
|-----------------------------|-------------|------------|------------|------|
| Number of manifold sections | Height [mm] | Width [mm] | Depth [mm] | Code |
| | | | | |

| | | | | |
|---------------------------|---------|------|---------|-------------------|
| 4 | 580-670 | 400 | 110-160 | S-ROZDZ-4-WBPD-S |
| 6 | | 480 | | S-ROZDZ-6-WBPD-S |
| 8 | | 610 | | S-ROZDZ-8-WBPD-S |
| 10 | | 760 | | S-ROZDZ-10-WBPD-S |
| 12 | | 840 | | S-ROZDZ-12-WBPD-S |
| 14 | | 1100 | | S-ROZDZ-14-WBPD-S |
| 16 | | 1200 | | S-ROZDZ-16-WBPD-S |
| Monted on the wall | | | | |
| 4 | 580 | 400 | 130 | S-ROZDZ-4-ZBPD-S |
| 6 | | 480 | | S-ROZDZ-6-ZBPD-S |
| 8 | | 610 | | S-ROZDZ-8-ZBPD-S |
| 10 | | 760 | | S-ROZDZ-10-ZBPD-S |
| 12 | | 840 | | S-ROZDZ-12-ZBPD-S |
| 14 | | 1100 | | S-ROZDZ-14-ZBPD-S |
| 16 | | 1200 | | S-ROZDZ-16-ZBPD-S |


POSSIBILITY OF IMPLEMENTATION



INOX

Stainless steel type 304 with 240 cut or 316L. In aggressive environment (e.g. swimming pools) recommended is only 316L steel

TYPE OF LOCK



PATENT LOCK - WITHOUT A KEY